

# SAFETY DATA SHEET

Issue Date 17-Feb-2022

Revision Date 17-Feb-2022

Version 1

## 1. IDENTIFICATION

### Product identifier

Product Name

**Wolmanized® Outdoor® Wood**

### Other means of identification

Product Code

23455A

Synonyms

Copper Azole Treated Wood

### Recommended use of the chemical and restrictions on use

Recommended Use

Treated Wood.

### Details of the supplier of the safety data sheet

Supplier Address

Manufacturer Address

Customers and Licensees of:

Arch Treatment Technologies, Inc

3941 Bonsal Road

Conley, GA 30288

### Emergency telephone number

Company Phone Number

Emergency Telephone

## 2. HAZARDS IDENTIFICATION

### Classification

#### OSHA Regulatory Status

This chemical is considered hazardous by the 2012 OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion/irritation	Category 3
Serious eye damage/eye irritation	Category 2B
Respiratory sensitization	Category 1
Skin sensitization	Category 1
Carcinogenicity	Category 1A
Specific target organ toxicity (single exposure)	Category 3

### Label elements

#### Emergency Overview

**Danger**

#### Hazard statements

May cause cancer

Causes eye irritation

May cause allergy or asthma symptoms or breathing difficulties if inhaled

May cause an allergic skin reaction

May cause respiratory irritation  
Causes mild skin irritation



**Physical state** Solid

**Odor** No information available

#### Precautionary Statements - Prevention

Obtain special instructions before use  
Do not handle until all safety precautions have been read and understood  
Use personal protective equipment as required  
Wash face, hands and any exposed skin thoroughly after handling  
Avoid breathing dust/fume/gas/mist/vapors/spray  
Use only outdoors or in a well-ventilated area

#### Precautionary Statements - Response

IF exposed or concerned: Get medical advice/attention  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing  
If eye irritation persists: Get medical advice/attention  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing

#### Hazards not otherwise classified (HNOC)

Not applicable

#### Other Information

Causes mild skin irritation

### 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### Substance

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).

#### Synonyms

Copper Azole Treated Wood.

Chemical Name	CAS No.	Weight-%	Trade Secret
Wood and Wood Dust	NOT ASSIGNED	99 - 100	
(Copper (II) carbonate--copper(II) hydroxide (1:1))	12069-69-1	0.1 - 1	
Tebuconazole	107534-96-3	<0.1	

### 4. FIRST AID MEASURES

#### Description of first aid measures

#### General advice

In case of accident or unwellness, seek medical advice immediately (show directions for

use or safety data sheet if possible).

<b>Eye contact</b>	Immediately flush with plenty of water. After initial flushing, remove any contact lenses and continue flushing for at least 15 minutes. Do not rub affected area.
<b>Skin contact</b>	IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.
<b>Inhalation</b>	Remove to fresh air. Call a physician immediately. If not breathing, give artificial respiration.
<b>Ingestion</b>	If swallowed, call a poison control center or physician immediately. If swallowed, do not induce vomiting; seek medical advice immediately and show this container or label.

#### **Most important symptoms and effects, both acute and delayed**

**Symptoms** See Section 11: TOXICOLOGICAL INFORMATION.

#### **Indication of any immediate medical attention and special treatment needed**

**Note to physicians** May cause sensitization in susceptible persons. Treat symptomatically.

### **5. FIRE-FIGHTING MEASURES**

#### **Suitable extinguishing media**

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Carbon dioxide (CO<sub>2</sub>). Water spray or fog.

**Unsuitable extinguishing media** Do not use a solid water stream as it may scatter and spread fire.

#### **Specific hazards arising from the chemical**

In the event of fire and/or explosion do not breathe fumes. May cause sensitization in susceptible persons.

**Hazardous combustion products** Carbon monoxide. Carbon dioxide (CO<sub>2</sub>). Nitrogen oxides (NO<sub>x</sub>).

#### **Explosion data**

**Sensitivity to Mechanical Impact** None.

**Sensitivity to Static Discharge** None.

#### **Protective equipment and precautions for firefighters**

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

### **6. ACCIDENTAL RELEASE MEASURES**

#### **Personal precautions, protective equipment and emergency procedures**

**Personal precautions** Ensure adequate ventilation, especially in confined areas.

**For emergency responders** Use personal protection recommended in Section 8.

#### **Environmental precautions**

**Environmental precautions** See Section 12: ECOLOGICAL INFORMATION.

**Methods and material for containment and cleaning up**

<b>Methods for containment</b>	Cover powder spill with plastic sheet or tarp to minimize spreading.
<b>Methods for cleaning up</b>	Cover powder spill with plastic sheet or tarp to minimize spreading and keep powder dry. Take up mechanically, placing in appropriate containers for disposal. Avoid creating dust. Clean contaminated surface thoroughly. Pick up and transfer to properly labeled containers. After cleaning, flush away traces with water. Take precautionary measures against static discharges.

**7. HANDLING AND STORAGE****Precautions for safe handling**

<b>Advice on safe handling</b>	Do not burn treated wood. Do not use pressure treated chips or sawdust as mulch. Use with local exhaust ventilation. May form combustible dust concentrations in air. Take precautionary measures against static discharges. Avoid contact with skin, eyes or clothing. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Do not breathe dust/mist/vapors/spray.
--------------------------------	---

**Conditions for safe storage, including any incompatibilities**

<b>Storage Conditions</b>	Avoid generation of dust.
<b>Incompatible materials</b>	None known based on information supplied.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION****Control parameters**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Wood and Wood Dust NOT ASSIGNED	1.0 mg/m <sup>3</sup> Inhalable, 0.5 mg/m <sup>3</sup> Inhalable Western Red Cedar	15 mg/m <sup>3</sup> Total Dust 5.0 mg/m <sup>3</sup> Respirable Fraction	-
(Copper (II) carbonate--copper(II) hydroxide (1:1)) 12069-69-1	TWA: 1 mg/m <sup>3</sup> Cu dust and mist	-	IDLH: 100 mg/m <sup>3</sup> Cu dust and mist TWA: 1 mg/m <sup>3</sup> Cu dust and mist

NIOSH IDLH *Immediately Dangerous to Life or Health*

<b>Other Information</b>	Vacated limits revoked by the Court of Appeals decision in AFL-CIO v. OSHA, 965 F.2d 962 (11th Cir., 1992).
--------------------------	---

**Appropriate engineering controls**

<b>Engineering Controls</b>	Showers. Eyewash stations. Ventilation: Saw, cut or machine wood outdoors or in well ventilated areas. Due to the explosive potential of dust when suspended in air, precautions should be taken when sawing, sanding, or machining wood or wood products to prevent sparks or other ignition sources. If required, use wet methods and/or explosion suppression systems to reduce generation of dust. Local exhaust ventilation is recommended when sawing, sanding, or machining this product. General dilution ventilation is recommended in processing and storage areas.
-----------------------------	---

**Individual protection measures, such as personal protective equipment**

<b>Eye/face protection</b>	Use safety glasses with side shields or chemical goggles when sawing or cutting treated or
----------------------------	--

	untreated wood.
<b>Skin and body protection</b>	Wear leather gloves. Wear long sleeve shirt, pants, and steel-toed shoes when handling treated or untreated wood.
<b>Respiratory protection</b>	None normally required. When sawing or cutting treated or untreated wood, wear a NIOSH approved N95 or better dust mask.
<b>General Hygiene Considerations</b>	Handle in accordance with good industrial hygiene and safety practice. Do not eat, drink or smoke when using this product. Take off all contaminated clothing and wash it before reuse. Avoid contact with skin, eyes or clothing. Wash face, hands and any exposed skin thoroughly after handling.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

### Information on basic physical and chemical properties

<b>Physical state</b>	Solid	<b>Odor</b>	No information available
<b>Appearance</b>	No information available	<b>Odor threshold</b>	No information available
<b>Color</b>	Slightly green		

<u>Property</u>	<u>Values</u>	<u>Remarks • Method</u>
pH	No information available	
Melting point / freezing point	No information available	
Boiling point / boiling range	No information available	
Flash point		
Evaporation rate	No information available	
Flammability (solid, gas)	No information available	
Flammability Limit in Air		
Upper flammability limit:	No information available	
Lower flammability limit:	No information available	
Vapor pressure	No information available	
Vapor density	No information available	
Relative density	No information available	
Water solubility	No information available	
Solubility in other solvents	No information available	
Partition coefficient	No information available	
Autoignition temperature	No information available	
Decomposition temperature	No information available	
Kinematic viscosity	No information available	
Dynamic viscosity	No information available	
Explosive properties	No information available	
Oxidizing properties	No information available	

### Other Information

Softening point	No information available
Molecular weight	No information available
VOC Content (%)	No information available
Density	No information available
Bulk density	No information available

## 10. STABILITY AND REACTIVITY

### Reactivity

No data available

**Chemical stability**

Stable under recommended storage conditions.

**Possibility of Hazardous Reactions**

None under normal processing.

**Conditions to avoid**

Extremes of temperature and direct sunlight.

**Incompatible materials**

None known based on information supplied.

**Hazardous Decomposition Products**

None known based on information supplied.

## 11. TOXICOLOGICAL INFORMATION

**Information on likely routes of exposure**

**Product Information**

<b>Inhalation</b>	WOOD and WOOD DUST :. May cause cancer. May cause sensitization by inhalation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
<b>Eye contact</b>	WOOD and WOOD DUST :. Irritating to eyes.
<b>Skin contact</b>	WOOD and WOOD DUST :. May cause irritation. May cause allergic skin reaction.
<b>Ingestion</b>	WOOD and WOOD DUST :. Harmful if swallowed.

Chemical Name	Oral LD50	Dermal LD50	Inhalation LC50
(Copper (II) carbonate--copper(II) hydroxide (1:1)) 12069-69-1	= 500 mg/kg (ATE)	>2000 mg/kg (RT)	1.2 mg/L (ATE)
Tebuconazole 107534-96-3	>1700 mg/kg (RT)	> 2000 mg/kg (RT)	> 5.0 mg/L (RT) 4h

Note:  
RT = Rat  
RBT = Rabbit  
MSE = Mouse  
GP = Guinea Pig  
V = Vapour

**Information on toxicological effects**

**Symptoms** No information available.

**Delayed and immediate effects as well as chronic effects from short and long-term exposure**

Chemical Name	ACGIH	IARC	NTP	OSHA
Wood and Wood Dust NOT ASSIGNED	X	Group 1	X	X

*IARC (International Agency for Research on Cancer)  
Group 1 - Carcinogenic to Humans*

OSHA (Occupational Safety and Health Administration of the US Department of Labor)

X - Present

### Numerical measures of toxicity - Product Information

ATEmix (oral)  
ATEmix (dermal)  
ATEmix (inhalation-gas)  
ATEmix (inhalation-dust/mist)  
ATEmix (inhalation-vapor)

### Numerical measures of toxicity

## 12. ECOLOGICAL INFORMATION

### Ecotoxicity

Chemical Name	Algae/aquatic plants	Fish	Crustacea
(Copper (II) carbonate--copper(II) hydroxide (1:1)) 12069-69-1	0.043 mg/L EC50 96h (Desmodesmus suspicatus)	0.087 mg/L LC50 96h (Oncorhynchus mykiss)	0.042 mg/L EC50 48h (Daphnia magna)
Tebuconazole 107534-96-3	3.8 mg/L EC50 72h (Pseudokirchneriella subcapitata)	4.4 mg/L LC50 48h (Oncorhynchus mykiss)	2.79 mg/L EC50 48h (Daphnia magna)

### Persistence and degradability

No information available.

### Bioaccumulation

No information available.

### Other adverse effects

No information available

## 13. DISPOSAL CONSIDERATIONS

### Waste treatment methods

**Disposal of wastes** This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). Dispose of in accordance with federal, state and local regulations.

**Contaminated packaging** No information available.

Chemical Name	California Hazardous Waste Status
(Copper (II) carbonate--copper(II) hydroxide (1:1)) 12069-69-1	Toxic

## 14. TRANSPORT INFORMATION

### DOT

Not regulated

## 15. REGULATORY INFORMATION

### US Federal Regulations

#### SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372

#### SARA 311/312 Hazard Categories

Acute health hazard	Yes
Chronic Health Hazard	Yes
Fire hazard	Yes
Sudden release of pressure hazard	No
Reactive Hazard	No

#### CWA (Clean Water Act)

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Chemical Name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
(Copper (II) carbonate--copper(II) hydroxide (1:1)) 12069-69-1	-	X	-	-

#### CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material

### US State Regulations

#### California Proposition 65

This product contains the following Proposition 65 chemicals

Chemical Name	California Proposition 65
Wood and Wood Dust - NOT ASSIGNED	Carcinogen
Formaldehyde - 50-00-0	Carcinogen
Naphthalene - 91-20-3	Carcinogen

Warning: This wood contains chemicals known to the State of California to cause cancer, birth defects or other reproductive harm.

### U.S. State Right-to-Know Regulations



---

Chemical Name	New Jersey	Massachusetts	Pennsylvania
Sodium sulfate 7757-82-6	-	X	X
Formaldehyde 50-00-0	X	X	X
Naphthalene 91-20-3	X	X	X

**U.S. EPA Label Information**

EPA Pesticide Registration Number Not applicable

**16. OTHER INFORMATION**

Issue Date 17-Feb-2022

Revision Date 17-Feb-2022

**Revision Note**

No information available

**Disclaimer**

The information provided in this Material Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

**End of Safety Data Sheet**